

ZESTAWIENIE STALI ZBROJENIOWEJ-S-15

Nr pręta	Średnica pręta [mm]	Liczba prętów [szt.]	Długość pręta [m]	Długość całkowita [m]		
				Ø 6	Ø 8	Ø 12
				Gatunek stali		
			A-I (PB240)	A-IIIN (34GS)		
ŁAWY FUNDAMENTOWE						
1	12	x	x			272,40
2	8	208	1,02		212,16	
WIENIEC OBWODOWY						
3	12	x	x			272,40
4	6	253	0,78	197,34		
NADPROŻE N-1						
5	12	12	1,35			16,20
6	6	27	0,88	23,76		
NADPROŻE N-2						
7	12	4	1,35			5,40
8	6	18	1,34	24,12		
NADPROŻE N-3						
9	12	8	2,95			23,60
10	6	22	1,14	25,08		
NADPROŻE N-4						
11	12	4	5,74			22,96
12	12	1	2,69			2,69
13	6	37	0,98	36,26		
NADPROŻE N-5						
14	12	4	1,65			6,60
15	6	22	1,14	25,08		
NADPROŻE N-6						
16	12	4	1,45			5,80
17	6	8	0,88	7,04		
SUMA			[m]	338,68	212,16	628,1
CIEŻAR 1mb			[kg]	0,222	0,395	0,888
MASA OGÓLNA			[kg]	75,19	83,80	557,71
RAZEM			[kg]	716,70		

ZESTAWIENIE STALI ZBROJENIOWEJ-S-15

ZESTAWIENIE STALI ZBROJENIOWEJ-S-15