

## ALEXANDRIA - ZESTAWIENIE STALI ZBROJENIOWEJ

Nr pręta	Średnica pręta [mm]	Liczba prętów [szt.]	Długość pręta [m]	Długość całkowita [m]				
				Ø6	Ø8	Ø12	Ø16	Ø20
				Gatunek stali				
				A-I (PB240)		A-III (34GS)		
<b>FUNDAMENTY</b>								
1	12	X	X			1121,80		
2	8	1104	1,02		1126,08			
<b>SŁUP POZ. 1.1, POZ. 1.1.1, POZ. 1.2</b>								
1	12	4	4,30			17,20		
2	12	12	1,75			21,00		
3	12	20	0,70			14,00		
4	6	68	1,80	122,40				
5	12	4	3,87			15,48		
6	12	4	4,30			17,20		
7	12	14	1,10			15,40		
8	6	35	1,08	37,80				
<b>STROP</b>								
1	12	184	1,25			230,00		
2	6	X	X	456,00				
3	16	X	X				12,50	
4	6	25	0,26	6,50				
5	12	X	X			96,00		
6	12	X	X			36,00		
<b>WIENIEC POZ. 3.1-3.2</b>								
1	12	X	X			705,88		
2	6	672	0,94	631,68				
<b>BELKA POZ. 4.1</b>								
1	12	2	5,09			10,18		
2	16	6	5,09				30,54	
3	6	27	1,24	33,48				
<b>BELKA POZ. 4.2</b>								
1	12	7	3,84			26,88		
3	6	21	1,24	26,04				
<b>BELKA POZ. 4.3</b>								
1	12	7	3,83			26,81		
3	6	21	1,24	26,04				
<b>BELKA POZ. 4.4</b>								
1	16	2	7,79				15,58	
2	16	3	5,90				17,70	
3	16	3	3,86				11,58	
4	16	2	7,90				15,80	
5	6	45	1,24	55,80				
<b>BELKA POZ. 4.5</b>								
1	12	6	3,05			18,30		
2	6	35	1,04	36,40				
<b>BELKA POZ. 4.6</b>								
1	12	3	2,87			8,61		
3	6	25	1,14	28,50				
<b>BELKA POZ. 4.7</b>								
1	12	3	2,44			7,32		
2	6	23	1,04	23,92				

**CZĘŚĆ 1**

## ALEXANDRIA - ZESTAWIENIE STALI ZBROJENIOWEJ

BELKA POZ. 4.8								
1	20	4	3,39					13,56
2	6	39	1,04	40,56				
BELKA POZ. 4.9								
1	12	7	3,84			26,88		
2	6	17	1,14	19,38				
BELKA POZ. 4.10								
1	12	2	6,69			13,38		
2	20	4	6,69					26,76
3	6	73	1,28	93,44				
BELKA POZ. 4.11								
1	12	2	6,69			13,38		
2	20	5	6,69					33,45
3	6	73	1,28	93,44				
BELKA POZ. 4.12								
1	12	2	2,64			5,28		
3	6	12	0,98	11,76				
BELKA POZ. 4.13								
1	12	7	4,19			29,33		
3	6	21	0,98	20,58				
BELKA POZ. 4.14								
1	12	6	3,89			23,34		
3	6	21	0,98	20,58				
BELKA POZ. 4.15								
1	12	5	3,24			16,20		
3	6	16	0,98	15,68				
NADPROŻE N-1								
1	16	4	5,44				21,76	
2	6	23	1,16	26,68				
NADPROŻE N-2								
1	12	4	1,44			5,76		
2	6	10	0,88	8,80				
NADPROŻE N-3								
1	12	5	2,24			11,20		
2	6	15	0,88	13,20				
NADPROŻE N-4								
1	12	2	3,44			6,88		
2	20	4	3,44					13,76
3	6	27	0,98	26,46				
NADPROŻE N-5								
1	12	24	1,94			46,56		
3	6	52	0,88	45,76				
NADPROŻE N-6								
1	12	8	1,34			10,72		
2	6	18	0,88	15,84				
NADPROŻE N-7								
1	12	12	1,34			16,08		
2	6	27	0,88	23,76				
NADPROŻE N-8								
1	12	18	1,34			24,12		
2	6	36	0,88	31,68				

**CZĘŚĆ 1**

## ALEXANDRIA - ZESTAWIENIE STALI ZBROJENIOWEJ

NADPROŻE N-9								
1	12	2	1,89			3,78		
2	20	4	1,89				7,56	
3	6	13	0,88	11,44				
NADPROŻE N-10								
1	12	4	2,19			8,76		
2	6	16	0,88	14,08				
NADPROŻE N-11								
1	12	4	1,34			5,36		
2	6	12	0,88	10,56				
SUMA			[m]	2028,24	1126,08	2655,07	125,46	95,09
CIĘŻAR 1mb			[kg]	0,222	0,395	0,888	1,578	2,466
MASA OGÓLNA			[kg]	450,27	444,80	2357,70	197,98	234,49
RAZEM			[kg]	3685,24				

# **ALEXANDRIA - ZESTAWIENIE STALI ZBROJENIOWEJ**

**UWAGA! W zestawieniu nie ujęto zbrojenia przeciwskurczowego posadzki.**