

ZESTAWIENIE STALI ZBROJENIOWEJ - SAVONA

Nr pręta	Średnica pręta [mm]	Liczba prętów [szt.]	Długość pręta [m]	Długość całkowita [m]			
				Ø6	Ø8	Ø12	Ø16
				Gatunek stali			
				A-I (PB240)		A-III (34GS)	
FUNDAMENTY							
1	12	X	X			370,00	
2	8	350	1,16		406,00		
3	12	10	1,80			18,00	
4	12	20	1,45			29,00	
5	12	67	0,60			40,20	
POZ. 1.1, POZ. 1.2, POZ. 1.3, POZ. 1.4							
1	12	5	1,12			5,60	
2	12	7	0,79			5,53	
3	12	16	0,60			9,60	
4	12	12	1,97			23,64	
5	8	14	0,88		12,32		
6	12	24	0,80			19,20	
7	12	12	2,03			24,36	
8	8	18	0,88		15,84		
9	12	12	0,90			10,80	
10	12	4	1,84			7,36	
11	8	7	0,88		6,16		
POZ. 1.5							
1	12	24	0,80			19,20	
2	12	8	2,03			16,24	
3	8	18	0,88		15,84		
SCHODY POZ. 1.6							
1	12	3	0,94			2,82	
2	6	5	3,18	15,90			
3	6	42	0,94	39,48			
4	12	11	4,34			47,74	
5	12	11	3,48			38,28	
6	12	24	2,02			48,48	
7	12	11	2,83			31,13	
8	12	11	2,83			31,13	
WIENIEC W-1							
1	12	X	X			340,00	
2	6	378	0,94	355,32			
3	12	12	1,25			15,00	
4	12	6	1,50			9,00	
WIENIEC W-2							
1	12	X	X			162,00	
2	6	205	0,88	180,40			
3	12	16	1,25			20,00	
4	12	8	1,50			12,00	
BELKA POZ. 2.1							
1	16	10	5,41				54,10
2	12	3	5,41			16,23	
3	6	68	1,10	74,80			
4	6	51	0,94	47,94			

ZESTAWIENIE STALI ZBROJENIOWEJ - SAVONA

BELKA POZ. 2.2							
1	12	4	2,45			9,80	
2	6	16	0,88	14,08			
BELKA POZ. 2.3							
1	16	10	4,33				43,3
2	6	68	1,04	70,72			
BELKA POZ. 2.4							
1	12	2	2,64			5,28	
2	6	17	0,94	15,98			
BELKA POZ. 2.5							
1	12	1	2,44			2,44	
2	6	45	0,94	42,30			
SŁUPKI POZ. 3.1							
1	12	64	2,81			179,84	
2	12	64	1,13			72,32	
3	6	80	0,84	67,20			
PŁYTA STROPOWA POZ. 4.7							
1	12	40	2,10			84,00	
2	12	12	5,46			65,52	
PŁYTA STROPOWA POZ. 4.8							
1	12	69	1,80			124,20	
2	12	10	9,52			95,20	
PŁYTA STROPOWA POZ. 4.9							
1	12	32	4,33			138,56	
2	12	17	8,22			139,74	
3	12	5	0,65			3,25	
	12	5	1,15			5,75	
	12	5	1,65			8,25	
	12	5	2,15			10,75	
	12	5	2,65			13,25	
4	12	48	1,59			76,32	
STROP POROTHERM							
1	12	32	0,97			31,04	
2	12	48	1,57			75,36	
3	6	X	X	238,00			
4	16	X	X				23,00
5	6	44	0,24	10,56			
POZ. 5.1 ,POZ. 5.2, POZ. 5.3							
1	12	4	3,40			13,60	
2	8	26	0,88		22,88		
3	12	12	3,40			40,80	
4	8	52	0,88		45,76		
5	12	12	3,11			37,32	
6	8	46	0,88		40,48		
POZ. 5.4							
1	12	8	2,81			22,48	
2	8	20	0,88		17,60		
NADPROŻE N-1							
1	12	6	1,64			9,84	
2	6	33	1,08	35,64			

ZESTAWIENIE STALI ZBROJENIOWEJ - SAVONA

NADPROŻE N-2							
1	12	6	2,44			14,64	
2	6	16	0,88	14,08			
NADPROŻE N-3							
1	12	5	2,24			11,20	
2	6	15	0,88	13,20			
NADPROŻE N-4							
1	16	5	3,14				15,70
2	16	1	2,82				2,82
3	16	1	3,58				3,58
4	6	21	1,08	22,68			
NADPROŻE N-5							
1	12	4	1,34			5,36	
2	6	9	0,88	7,92			
NADPROŻE N-6							
1	12	8	1,34			10,72	
2	6	18	0,88	15,84			
NADPROŻE N-8							
1	12	8	1,34			10,72	
2	6	18	0,88	15,84			
SUMA			[m]	1297,88	582,88	2690,09	142,50
CIEŻAR 1mb			[kg]	0,222	0,395	0,888	1,590
MASA OGÓLNA			[kg]	288,13	230,24	2388,80	226,58
RAZEM			[kg]	3133,74			

UWAGA! W ZESTAWIENIU NIE UJĘTO PRĘTÓW DLA ZBROJENIA PRZECIWSKURCZOWEGO WYLEWKI BETONOWEJ.